

Accessdiver is a Brute Force program used to test password-protected sites among its other functions.

You can download accessdiver from <http://www.accessdiver.com>

After the installation, launch accessdiver. Above you can see the following: My Skill, Tools, Wordlist, Weak History, Help


Click on My Skill and then click on Expert (or just press F4)

Then somewhere in the middle there you find the following: Dictionary, History, Settings, Proxy, etc.....

Click on the Settings Tab, then under the settings tab there's access, search, manipulation, etc..... click on misc then somewhere below click on hide the sponsor banner after clicking on visiting it. Below that, uncheck shows InfosBox at startup.

Still under the settings Tab, from misc go to access tab, under analysis accuracy, check on Let a BOT retries once again on abnormal replies.... And also check always force a security test.....on the right side there's Stopping a security test after: check on never stop – continue until the end.

Ok from the settings tab we go to proxy tab (just beside the settings tab). Under the proxy tab there's My List, Proxy Analyzer, etc.....click on proxy analyzer.




Shown above is what you ought to see after clicking on proxy analyzer. First you should have a text file (i.e proxy.txt), which contains proxies like the ones shown below. Where to get proxies? Read my first tutorial on how to get a list of proxies or e-mail me and I will give you a list.


211.54.212.117:3128
 213.177.164.216:8080
 211.233.66.37:8080
 216.138.115.136:8080
 216.138.115.153:8080
 209.172.13.5:8080
 142.179.203.154:8080
 12.108.83.194:8080

ok so when you already have a proxylist and for example you named it proxy.txt, we are still under the proxy analyzer, click on the yellow thing just below the words My list, the one that looks like a folder. After clicking on it, load your proxy text file, in this case its proxy.txt


Now it should look like this




click on anywhere the lines of proxies




after clicking on a line on the proxy list, you see that one of the proxies is highlighted and above the list it says 670 proxies. This means that you have loaded a total of 670 proxies. Now let's start testing proxies. Press "a" and then all of the proxies will be highlighted like this one (see below):




in the parameters tab be sure that there is no check on any of the boxes like the ones above. Ok so start testing proxies by pressing on speed/accuracy tester button



When the test is done. Right click on the list of proxies (take note right click and not left click)




and then delete bad results and timeouts. Ok so let's now test the proxies for anonymity, you will only need those proxies which won't spill your IP. But first go to the proxyjudge tab (its written vertically) beside the parameters and special tabs (find it). Click on one of the lines containing http://..... And then press "a" again to highlight all the proxyjudges. Beside that list of proxyjudges there's a plus (+) sign above below there's a diskette and then there's the check sign. Press the check and notice that the all proxyjudges are now unchecked. You should choose just two or three proxyjudges for the test so choose two and click on the box beside the proxyjudge that you fancy.




see the picture above (nevermind the TimeOut), I have chosen just two proxyjudges that will test my proxies for anonymity.

Ok all it set for anonymity testing. Click on the confidentiality tester button. Then the test will start. After the test right click (again right click and not left) again on the list and then delete everything non operational and not anonymous. Right click again and then Find and remove FBI and US army proxies from the list. Also you should manually delete those proxies that indicate level 3??? Those which have question marks after the level. Double check the proxies and make sure that the ones that have remained after all the test have a delay and have levels without question marks say level 1, level 2, level 3 and so on.....

Left click on the proxy list again and press "a" and your list will be highlighted. Right click and then choose make selected proxies your default proxylist (see below).




Ok you're almost ready to go, click on My List Tab



check the following boxes as seen on the picture above, click on use web proxies, rotate proxies 1 login to try (type 1 on the box) then check on change proxy on errors...just follow what you see on the left side (nevermind the right side) also choose reactivate all proxies under reactivation (used when no more proxy available).

Lets go to the wordlist , click on dictionary tab




under currently used (as shown above) click on load a combo file and then load your wordlist text file which contains combos like

tricam:xxxpass
Dijonj:calvin

Where to find combos wordlist? For starters, click on the wordlist link at <http://www.Xisp.org/downloads/wordlist.zip> and download.

After that, put the members url of the site you are testing on the server, the one encircled below



what is the members url? Read on my tutorials on cracking.

Set the testpeed to 15 bots for starters, slide the ticker until it indicates 15 bots and then start the test. If you don't get a hit after the test then change your wordlist

Hope this helps! Happy Testing!