









IOWA
595 HOL
STORY





DODGE

4x4

EXECUTIVE
Auto Sales

IOWA
595 HOL
STORY

JESUS



























THANKS FOR COMING IN

ALL HANDS PLEASE TO KEEP THE TRUCK CLEAN AND SAFE

PLEASE WASH YOUR HANDS AND FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE

PLEASE WASH YOUR FACE



1377 IS



← FUEL DOOR

P RND21
|





137715



← FUEL DO

P R N D 2











WARNING
DEATH OR SERIOUS
INJURY CAN OCCUR
IF THE SEAT IS
NOT PROPERLY
SECURED.
SEE THE
OWNER'S
MANUAL FOR
MORE
INFORMATION.

WARNING
DEATH OR SERIOUS
INJURY CAN OCCUR
IF THE SEAT IS
NOT PROPERLY
SECURED.
SEE THE
OWNER'S
MANUAL FOR
MORE
INFORMATION.













TRANS FLUID

AIR FILTER SERVICE - REMOVE AIR CLEANER HOUSING FROM ENGINE PRIOR TO SERVICE

071

WASHER FLUID

EVAPORATIVE EMISSIONS







IOWA 2005
JUN
42-801877



MFD BY CHRYSLER CORPORATION

DATE OF MFG 11-97

GAW 2994 KG (6600 LB)

GAW FRONT WITH TIRES 1747 KG (3850 LB) P245/75R16

FRONT

241 KPA (25 PSI)

GAW REAR WITH TIRES 1747 KG (3850 LB) P245/75R16

241 KPA (25 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3B7HF1228UG144872

TYPE:

TRUCK

SINGLE X DR



NON: 118787 881AA INT:004

VEHICLE MADE IN MEXICO

ALYST

5.9 LITER
WCRXT05.96B1
WCRXE0174GDH


NO
ADJUSTMENTS
NEEDED

EVAP PROCEDURE
86.130-96

SPARK PLUGS
RC12LC4
.040 in. GAP



59406XCE



MFD BY CHRYSLER CORPORATION

DATE OF MFG 11-97

GAW 2894 KG (6384 LB)

GAW FRONT	WITH TIRES	KMS WT	COL
1747 KG (3850 LB)	P245/75R16	16X7	241 KPA (25 PSI)
GAW REAR	WITH TIRES	KMS WT	COL
1747 KG (3850 LB)	P245/75R16	16X7	241 KPA (25 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3B7HF1228WG144872 TRK: TRUCK SINGLE R DR



MON: 110787 881AA PNT:004 VEHICLE MADE IN MEXICO TRK:004 MON:001

